

TECHNICAL DATA SHEET

SPECIAL COLDLINE



AIM 11DR3 DRAWER TYPE COOLING & FREEZING UNIT

- Designed to operate in 43°C ambient %65 humidity
- New design for equal temperature distribution
- Zero ODP Injected 42 kg/m3 Polyurethane Insulation
- Digital controller with easy read screen
- Ergonomic door and handle designed for ease of opening and cleaning
- Icecool refrigeration system designed to be most tecnologically advanced and energy efficient
- Hot gas defrost system
- Waste heat recovery condensate vaporiser system
- All refrigerators can be produced in marine version
- Marine version includes 'Icecool marine' system, legs and shelves









TECHNICAL DATA SHEET



GENERAL INFORMATION

Operating Tempatuare: +8/-20 °C Climate class: 5 Overall dimensions: 940x700x850 Capacity GN 2/1-200: 1

CABINET CONSTRUCTION

Exterior Material: AISI 304 Stainless Steel Back Material: Galvanized steel Interior Material: AISI 304 Stainless Steel Drain: ✓ LED lighting Eclairage LED: X Insulation: Polyurethane with high density 40kg/m3, CFCs free, zero ODP and low GWP Insulation thickness(mm): 50 Blowing Agent: HFO

REFRIGERATION

Thermostat: Touch screen- IP65 Refrigeration system: Split system Defrost: Resistance Expansion Device: Capillary Fans: ✓ Condensation: Forced air Evaporation: With fan Condensate pan: Hot gas condensation pan

TECHNICAL FEATURES

Gas Refrigerant: R290 Power Supply: 230V / 1 / 50 Hz

CRATING

Crated dimensions L x l x H (mm):990x750x910 Net Weight (kg): 178 Crated Weight (kg): 188

SPECIAL COLDLINE AIM 11DR3





AIM INDUSTRIAL KITCHEN EQUIPMENT

DAP VALLEY S BUILDING NO:10 KAGITHANE / ISTANBUL



TECHNICAL DATA SHEET

NEW CONDENSER SYSTEM

Stayclear condenser



CLASSIC


AIMCLEAR


SAVING ENERGY

Eco friendly, HFC - free polyurethane insulation providing low energy consumption



EVAPARATOR DOES NOT SNOW THROUGH HOT GAS DEFROST







AIM INDUSTRIAL KITCHEN EQUIPMENT

DAP VALLEY S BUILDING NO:10 KAGITHANE / ISTANBUL

