

TECHNICAL DATA SHEET

VERTICAL TYPE SERIES



AIM 70CRF3 VERTICAL COMBI TYPE REFRIGERATOR – W/2 DOORS

- Designed to operate in 43°C ambient %65 humidity
- New design for equal temperature distribution
- Zero ODP Injected 42 kg/m3 Polyurethane Insulation
- Digital controller with easy read screen
- Ergonomic door and handle designed for ease of opening and cleaning
- Icecool refrigeration system designed to be most tecnologically advanced and energy efficient
- Hot gas defrost system
- Waste heat recovery condensate vaporiser system
- All refrigerators can be produced in marine version
- Marine version includes 'Icecool marine' system, legs and shelves





AIM INDUSTRIAL KITCHEN EQUIPMENT DAP VALLEY S BUILDING NO:10 KAGITHANE / ISTANBUL



TECHNICAL DATA SHEET

Operating Tempatuare: -2/+8°C & -10/-22 °C Capacity: 610L Overall dimensions: 700x864x2070

CABINET CONSTRUCTION

Exterior Material: AISI 304 Stainless Steel Back Material: Galvanized steel Interior Material: AISI 304 Stainless Steel Drain: ✓ LED lighting Eclairage LED: X Insulation: Polyurethane with high density 40kg/m3, CFCs free, zero ODP and low GWP Insulation thickness(mm): 60 Blowing Agent: HFO Doors: 2 Door Construction: Pressed hinged door. Easy to replace door gasket that does not require cleaning

Door Lock: Optional Door Frame Heaters: ✓

FEATURES

Shelving: 3 Shelves dimensions LxD: GN 2/1 650x530 Legs, casters: Stainless steel legs, height adjustable (130-180mm)

REFRIGERATION

Thermostat: Touch screen- IP65 Refrigeration system: Split system Defrost: Hot Gas Expansion Device: Capillary Fans: ✓ Condensation: Forced air Evaporation: With fan Condensate pan: Resistance condensation pan

TECHNICAL FEATURES

Gas Refrigerant: R290 Power Supply: 230V / 1 / 50 Hz

CRATING

Crated dimensions L x I x H (mm):750x914x2320 Net Weight (kg): 125 Crated Weight (kg): 135 





AIM INDUSTRIAL KITCHEN EQUIPMENT DAP VALLEY S BUILDING NO:10 KAGITHANE / ISTANBUL



TECHNICAL DATA SHEET

NEW CONDENSER SYSTEM

Stayclear condenser




CLASSIC

SAVING ENERGY

Eco friendly, HFC – free polyurethane insulation providing low energy consumption



EVAPARATOR DOES NOT SNOW THROUGH HOT GAS DEFROST



2070

700

F


PERFECT COOLING SYSTEM

Homogeneous heat distribution on each shelf thanks to custom design rear sheet






CLASSIC



33











DAP VALLEY S BUILDING NO:10 KAGITHANE / ISTANBUL