




TECHNICAL DATA SHEET

BAR SERIES COOLING LINE



AIM CPC4 COCKTAIL PREPARATION COUNTER

- Tropical class +43 0 C
- Stay clear condenser
- Zero ODP injected 42 kg/ m3 polyurathane insulation
- Antibacterial storage area
- Silent operation with magnetic pump
- Electronic control
- Insulated ice chest
- Ergonomic door handle
- Patented nozzle system provides less cycles
- 1/1 Drawer capacity



BAR SERIES COOLING LINE AIM CPC4



AIM INDUSTRIAL KITCHEN EQUIPMENT
DAP VALLEY S BUILDING NO:10 KAGITHANE / ISTANBUL





TECHNICAL DATA SHEET

Operating Temperature: -2/+8 °C
Capacity: 190L
Overall dimensions: 1600x600x850

CABINET CONSTRUCTION

Exterior Material: AISI 430 Stainless Steel
Back Material: Galvanized steel
Interior Material: AISI 430 Stainless Steel
Drain: ✓
LED lighting Eclairage LED: X
Insulation: Polyurethane with high density
40kg/m³, CFCs free, zero ODP and low GWP
Insulation thickness(mm): 50
Blowing Agent: HFO

FEATURES

Shelving: 1x2
Shelves dimensions LxD: 470x405
Legs, casters: Stainless steel legs,
height adjustable (130-180mm)

REFRIGERATION

Thermostat: Touch screen- IP65
Refrigeration system: Split system
Defrost: Resistance
Expansion Device: Capillary
Fans: ✓
Condensation: Forced air
Evaporation: With fan
Condensate pan: Hot gas condensation pan

TECHNICAL FEATURES

Gas Refrigerant: R134A
Power Supply: 230V / 1 / 50 Hz

CRATING

Crated dimensions L x l x H (mm):1650x650x900
Net Weight (kg): 110
Crated Weight (kg): 120



BAR SERIES COOLING LINE AIM CPC4





TECHNICAL DATA SHEET

NEW CONDENSER SYSTEM

Stayclear condenser



CLASSIC



AIMCLEAR

SAVING ENERGY


Eco friendly, HFC – free polyurethane insulation providing low energy consumption






EVAPARATOR DOES NOT SNOW THROUGH HOT GAS DEFROST



CLASSIC



AIMEVA



BAR SERIES COOLING LINE AIM CPC4



AIM INDUSTRIAL KITCHEN EQUIPMENT
DAP VALLEY S BUILDING NO:10 KAGITHANE / ISTANBUL

